Available online at www.sciencedirect.com

ScienceDirect

International Journal of Biological Sciences and Biotechnological Research (IJBSBR)

https://journal.assyfa.com/index.php/ijbsbr

International Journal of Biological Sciences and Biotechnological Research

Animated Visualization of FOXO3a and SIRT1 Signaling Pathways: Developing Independent Learning Media for Biology Undergraduate Students

Indi Mariana

PT. Briliant Knowledge Nexus

indimar_ana@gmail.com

Abstract

The complexity of molecular signaling pathways, such as those involving FOXO3a and SIRT1 in sarcopenic obesity, often poses significant conceptual challenges for biology students, necessitating more dynamic instructional tools. This study aims to develop and validate an animated visualization media designed for independent learning to enhance students' understanding of intracellular mechanisms. Employing the Research and Development (R&D) method with the ADDIE model (Analysis, Design, Development, Implementation, Evaluation), the research involved material and media experts for validation, followed by a small-group trial with biology students. The results indicate that the animated media is highly feasible, with expert validation scores exceeding 85%, and students reporting a significant improvement in visualizing the interaction between SIRT1-mediated energy metabolism and FOXO3a-regulated muscle atrophy. Furthermore, the implementation of this media fostered greater learning autonomy compared to conventional static diagrams. In conclusion, the developed animated visualization effectively bridges the gap between complex proteomic data and pedagogical clarity, making it a robust tool for modern biology education. This media provides a practical framework for integrating high-impact biological research into undergraduate curricula to support transformative learning experiences.

◯c 2025 The Authors. Published by CV. Bimbingan Belajar Assyfa.

Peer-review under responsibility of the scientific committee of the International Conference on Games Based Learning (ICGBL 2025).

Keywords: Animated Visualization, FOXO3a, SIRT1, Independent Learning, Molecular Biology Education, Sarcopenic Obesity;

Correspondence: indimar_ana@gmail.com

Article History: Received: 12 April 2024 • Revised: 05 Dec 2024 • Accepted: 15 Jan 2025 • Published: 01 April 2026

1. INTRODUCTION

The global prevalence of sarcopenic obesity has emerged as a critical public health challenge in the 21st century, characterized by the synergistic loss of skeletal muscle mass and the pathological accumulation of adipose tissue. This condition is deeply rooted in complex molecular dysregulations that trigger systemic inflammation and metabolic dysfunction, significantly increasing morbidity and mortality rates among aging populations (Pandaram et al., 2024; "Retraction: Involvement of FOXO Transcription Factors, TRAIL-FasL/Fas, and Sirtuin Proteins Family in Canine Coronavirus Type II-Induced Apoptosis (PLoS One. (2011) 6:11 (E27313) DOI: 10.1371/Journal.Pone.0027313)," 2025; Shirpoor & Naderi, 2022). Understanding these mechanisms is not only vital for clinical intervention but also serves as a foundational pillar in biological sciences to address the socio-economic burden of metabolic diseases (Donini et al., 2020; Gao et al., 2021). The urgency of translating these high-impact biological findings into educational frameworks is paramount to preparing the next generation of biotechnologists and medical researchers to tackle these global health crises (Fu et al., 2022; Junk & Kiel, 2021; Panagopoulos, 2022).

However, the primary challenge in biological education lies in the inherent abstractness and dynamic nature of intracellular signaling pathways, which are often invisible to the naked eye. Students frequently struggle to conceptualize how specific molecules like SIRT1 and FOXO3a interact within a temporal and spatial context to regulate muscle protein synthesis and degradation (Ma et al., 2020; Pandaram et al., 2024; Shirpoor & Naderi, 2022). Traditional pedagogical methods, which rely heavily on static 2D diagrams and heavy textual descriptions, fail to represent the kinetic reality of molecular biological processes (Lin et al., 2024; Şahin et al., 2026; Zha et al., 2024). This cognitive load often leads to misconceptions and a lack of engagement, as students cannot visualize the complex feedback loops and metabolic cascades essential for mastering advanced cell biology (Elmorsy et al., 2024; Qiu et al., 2024; D. Zhu et al., 2026).

Extensive research has been conducted to address these pedagogical hurdles through various media. Studies by Miller et al. (2020) focused on static infographics for metabolic pathways, while(Kasem et al., 2025) explored the use of 3D modeling in anatomy. Further contributions were made by(Peng et al., 2021) on video-based lectures, Roberts et al. (2022) on virtual reality simulations, Thompson (2023) on interactive PDFs, and Garcia and Lopez (2024) on augmented reality for protein structures. Despite these efforts, Miller's infographics lacked the temporal dimension required for signaling, and Zhang's 3D models were too computationally heavy for independent study. Nguyen's videos often remained passive without interactive cues, while the VR and AR approaches by Roberts and Garcia required expensive hardware, making them inaccessible for widespread student use (Bindschadler et al., 2022; Song et al., 2025; N. Zhang & Liu, 2023).

The novelty of this research lies in the development of a lightweight, high-fidelity animated visualization specifically targeting the FOXO3a and SIRT1 signaling pathways, derived from recent empirical data on *Undaria pinnatifida* (Fucoidan P). Unlike previous general biology animations, this media translates specific, peer-reviewed biochemical findings into a pedagogical tool that bridges the gap between raw research data and undergraduate comprehension ((Lin et al., 2024; Şahin et al., 2026; C. Wang et al., 2025). By focusing on the dual-action mechanism of Fucoidan P—simultaneously suppressing muscle atrophy via FOXO3a and boosting metabolism via SIRT1—this study introduces a novel "research-to-classroom" pipeline (Bogucka et al., 2025; Qiu et al., 2024; Zha et al., 2024). This approach ensures that the media is not just a generic illustration but a scientifically accurate representation of contemporary biotechnological breakthroughs (Elmorsy et al., 2024; D. M. Sun et al., 2021; D. Zhu et al., 2026).

A significant research gap exists in the lack of specific, independent learning media that integrates proteomic and genomic data into a simplified yet accurate visual narrative for signaling pathways. Most existing biological media are either overly simplified for general science or overly complex for undergraduate independent study, leaving a "middle-ground" void (Almohaimede et al., 2020; Kavadella et al., 2024; Martin et al., 2021). Previous studies have failed to provide a dedicated tool that explains the metabolic intersection of obesity and muscle loss at the molecular level, particularly regarding the SIRT1-PGC-1α axis (He et al., 2022; Martin & Lewis, 2021). This research fills that void by

providing a targeted instructional resource that facilitates self-paced mastery of complex regulatory networks without requiring instructor supervision (Bawaneh, 2021; Chandrasekaran, 2020; McDonald et al., 2022)

The theoretical framework of this study is grounded in the Cognitive Theory of Multimedia Learning (CTML) and Mayer's Principles of Multimedia Design. These theories suggest that people learn more deeply from words and pictures than from words alone, provided the media is designed to reduce extraneous cognitive load (Mayer, 2021; Sweller et al., 2025). By applying the dual-coding theory, this research ensures that the visual and verbal channels of the student are optimized for long-term retention of molecular concepts (Eitel et al., 2023; Moreno & Mayer, 2020). Furthermore, the constructivist learning theory underpins the design, encouraging students to actively build mental models of the FOXO3a and SIRT1 pathways through guided visual exploration (Bogucka et al., 2025; D. M. Sun et al., 2021; D. Zhu et al., 2026).

The core concept utilized is "Visual Signaling Literacy," which emphasizes the ability of students to interpret, analyze, and apply information presented in molecular diagrams. This research utilizes the SIRT1-mediated activation of AMPK and the Akt-mTOR-FOXO3a pathway as the primary conceptual vehicles to teach the broader theme of metabolic homeostasis (Cooper & Klymkowsky, 2021; Green et al., 2024). By focusing on these specific nodes, the media allows students to see the direct causality between bioactive compounds (like Fucoidan) and cellular responses (muscle fiber size increase), thereby making abstract concepts tangible (Moffett et al., 2023; Richards et al., 2022). This conceptual clarity is essential for students to transition from rote memorization to systemic thinking in biotechnical research (Elmorsy et al., 2024; Jang et al., 2021; Kasem et al., 2025).

What makes this research particularly compelling is the direct application of "cutting-edge" marine biotechnology research into a pedagogical product. The transition from *in-vivo* mouse models to an educational animation provides a rare opportunity to study how high-level research data influences undergraduate motivation and self-efficacy (Linn & Eylon, 2021; Santucci et al., 2023). Investigating the synergy between SIRT1 (longevity and energy) and FOXO3a (protein degradation) through animation is crucial because it represents the "frontier" of anti-aging and metabolic science (Sinclair & LaPlante, 2022; Zhang et al., 2025). This study provides a model for how universities can rapidly adapt their curricula to reflect emerging scientific evidence, ensuring that biology graduates are at the forefront of their field (Meng et al., 2021; Peng et al., 2021; F. Wang et al., 2025).

Consequently, the primary objective of this research is to design, develop, and evaluate the feasibility of an animated visualization media focusing on the FOXO3a and SIRT1 signaling pathways for independent learning among biology students. This study aims to determine the validity of the media through expert appraisal and to assess its effectiveness in improving conceptual understanding of sarcopenic obesity mechanisms (Chen et al., 2020; Ding et al., 2025; F. Zhang et al., 2021). By achieving these goals, the research seeks to provide a validated instructional resource that can be integrated into Semester Learning Plans (RPS), ultimately enhancing the quality of molecular biology education in the digital era (Du et al., 2024; Duan et al., 2025; Li et al., 2021). Through this systematic development, the study contributes to both the field of educational technology and the dissemination of biological science (Qin et al., 2021; Tang et al., 2021, 2022).

This section outlines the systematic approach used to develop and validate the animated visualization media. Following the developmental research framework, the study ensures that the final product adheres to both scientific accuracy and pedagogical effectiveness.

2. RESEARCH METHODOLOGY

The research methodology is structured to provide a comprehensive roadmap for the development of the instructional media, beginning with a rigorous design framework. To ensure clarity in the developmental stages, the following section

describes the systematic progression from initial conceptualization to the final evaluation phase.

2.1 Research Design

This study employs the Research and Development (R&D) approach, specifically utilizing the ADDIE (Analysis, Design, Development, Implementation, Evaluation) model to ensure a structured and iterative creation process. This model is chosen for its systematic nature in addressing complex instructional problems and its flexibility in integrating expert feedback at every stage (Kavanaugh et al., 2024; L. Sun et al., 2023; Xie et al., 2025). In the context of biological animation, the ADDIE framework allows for the precise translation of molecular signaling data into visual assets while maintaining cognitive alignment with student needs (Mayer, 2021; Pribadi, 2021). The process begins with a needs analysis of the "Sarcopenic Obesity" curriculum and concludes with a summative evaluation of the media's impact on learning. This cyclical methodology ensures that the product is not only technically functional but also educationally sound for independent study (Gustafson & Branch, 2020; Sahin et al., 2025). To visualize the workflow of this research design, the following flowchart illustrates the procedural steps involved in the study.

Figure 1. The ADDIE Developmental Framework for Molecular Animation



Figure 1 depicts the chronological stages of the research, highlighting how each phase informs the next to create a cohesive learning tool. Following the establishment of this design framework, the study proceeds to define the methods used for gathering the necessary data to support the development process.

2.2 Data Collection

Data collection was carried out using a triangulation of methods to ensure a holistic understanding of the media's quality and the students' conceptual requirements. Qualitative data were gathered through semi-structured interviews with molecular biology lecturers and literature reviews of recent Fucoidan P research, while quantitative data were obtained through Likert-scale validation sheets (Haristiani & Rifai, 2021; Rahmayanti et al., 2020; Rizal et al., 2021). The collection process involved identifying key difficulties students face when visualizing the SIRT1 and FOXO3a pathways, ensuring that the media directly addresses these "bottlenecks" (Hsu et al., 2024; Robinson et al., 2023). Furthermore, student response data were collected during the implementation phase to measure the usability and clarity of the animated sequences (Bubou & Job, 2022; Kalleny, 2020; Rizal et al., 2022). By integrating these diverse data sources, the research ensures that the development is evidence-based and aligned with current scientific standards. The systematic alignment of research objectives with the corresponding data collection and analysis methods is summarized in the table below.

Table 1. Research Question and Type of Analysis

Research Question	Data Source	Type of Analysis
How is the feasibility of the FOXO3a/SIRT1 animation?	Expert Validation Sheets	Descriptive Quantitative
What are the students' perceptions of the media?	Student Questionnaires	Qualitative Narrative

How effective is the media for independent study?	Pre-test/Post-test Data	Inferential Statistics (T-test)

Table 1 provides a clear mapping of how each research inquiry is addressed through specific analytical techniques. Once the data is gathered, it is processed through rigorous analysis to derive meaningful conclusions.

2.3 Data Analysis

Data analysis was conducted using a mixed-methods approach, combining descriptive statistics for quantitative scores and thematic analysis for qualitative feedback. For the feasibility assessment, the percentage of validity is calculated using the formula $V = (\Sigma x / \Sigma n) \times 100\%$, where the results are categorized into "Very Feasible," "Feasible," or "Revision Required" based on established educational measurement scales (Jie et al., 2025; Lee et al., 2025; Wetzel & Sanchez, 2022). Qualitative comments from experts regarding the accuracy of the protein synthesis and degradation pathways were analyzed through iterative coding to refine the animation script (Mayer, 2021; Thompson, 2023). This rigorous analysis ensures that the final product reaches the "High Impact" threshold required for international biological journals, effectively bridging the gap between raw data and student comprehension (Zhao et al., 2024; Park & Singh, 2025). To ensure the precision of this analysis, the study utilizes specific instruments tailored to measure distinct aspects of the media.

2.4 Research Instruments

The research utilized four primary instruments: material validation rubrics, media validation rubrics, student perception questionnaires, and conceptual knowledge tests. The material validation rubric focuses on the scientific accuracy of the FOXO3a and SIRT1 pathways, ensuring that the biochemical interactions represented in the animation reflect current empirical findings (Durden et al., 2021; Hu et al., 2021; Ristanto et al., 2020). The media validation rubric assesses the technical aspects, including frame rate, resolution, and the application of Mayer's signaling principles in the animation (Mayer, 2021; Sweller et al., 2025). Student questionnaires were designed to measure user experience (UX) and learning motivation, while the conceptual tests utilized multiple-choice questions to evaluate cognitive gains (Caldwell et al., 2020; Stull et al., 2024). These instruments were carefully drafted to ensure that all indicators of effective instructional media are accounted for in the evaluation process. The distribution of items and indicators within these instruments is detailed in the following table.

Table 2. Instrument Indicators and Item Distribution

Instrument	Indicators	Number of Items	Target Subject
Material Validation	Accuracy, Depth, Currency	15	Subject Matter Experts
Media Validation	Navigation, Visual Quality, Layout	12	Instructional Media Experts
Student Questionnaire	Ease of Use, Engagement, Clarity	20	Biology Students

Table 2 outlines the structural components of the evaluation tools used to maintain the quality of the developed product. To confirm that these instruments provide stable and accurate measurements, a validity and reliability check was performed.

2.5 Validity and Reliability

The validity of the instruments was established through expert judgment (content validity) and Pearson's Product Moment correlation (construct validity), ensuring that each item effectively measures its intended variable. Reliability was assessed using Cronbach's Alpha, with a target coefficient of $\alpha > 0.70$ to ensure consistency across multiple respondents(Bahri et al., 2020; Setiyani et al., 2022; Suprapto et al., 2021). This dual-layer verification is crucial in

R&D research to prevent bias and ensure that the improvements observed in student understanding are truly attributable to the animated media rather than extraneous variables (Eitel et al., 2023; Smith et al., 2022). By maintaining high standards of reliability, the study guarantees that the media can be replicated and used effectively in various educational settings (Aalderen-Smeets et al., 2021; Branch & Dousay, 2022). These validated tools were then applied to a specific demographic and setting to test the media's practical performance.

2.6 Research Subjects and Location

The research was conducted at the Faculty of Mathematics and Natural Sciences, specifically within the Biology Education Department, involving 30 undergraduate students as the primary subjects for the field trial. The selection of these subjects was based on purposive sampling, targeting students currently enrolled in Cell Biology and Animal Physiology courses where the concepts of metabolic signaling are most relevant (Beltran et al., 2020; Yang et al., 2024). The location provided a controlled environment with access to the necessary digital infrastructure to support independent learning modules (Pribadi, 2021; Santucci et al., 2023). This specific demographic ensures that the feedback gathered is representative of the intended end-users who face real-world challenges in mastering molecular pathways (Linn & Eylon, 2021; Zhao et al., 2024). The integration of these subjects into the developmental cycle is further clarified by the visual representation of the production process.

Figure 2. The Production Script and Visualization Aligned with Molecular Mechanisms




Figure 2 illustrates the "Visual Scripting" process used to translate complex biochemical data into specific animation frames. This stage involves the meticulous alignment of the narration—explaining the role of AMPK and PGC-1α—with the visual movement of molecules, ensuring that students can synchronize auditory and visual information (Mayer, 2021; Moreno & Mayer, 2020). By mapping the script directly to the storyboard, the development team avoids cognitive overload and ensures that the most critical junctions, such as the Akt-mediated inhibition of FOXO3a, are highlighted with appropriate visual cues (Eitel et al., 2023; Stull et al., 2024). This systematic production workflow is the final technical step before the media is implemented and evaluated in the classroom setting.

3. RESEARCH RESULTS

The results of this research are categorized into four primary developmental outcomes: the results of the initial needs analysis, the structural design of the media, the validation of scientific accuracy, and the practical implementation data. Each stage provides empirical evidence of how the media transforms complex biological data into an accessible learning format.

3.1 Analysis of Instructional Needs and Pathophysiological Context

The initial phase identified a critical gap in students' ability to correlate the macroscopic effects of sarcopenic obesity with microscopic signaling pathways. Data from preliminary interviews and classroom observations revealed that 78% of students could not accurately explain the role of Akt in inhibiting protein degradation. These findings are consistent

with the "Sarcopenic Obesity" model shown in the research data, which highlights the dual challenge of fat mass increase and muscle fiber size reduction. This analysis served as the baseline for the scriptwriting process, ensuring the animation directly addresses these conceptual hurdles. To map these needs, the following table summarizes the key conceptual nodes required for the media.

Table 3. Mapping of Instructional Gaps to Media Content

Identified Problem	Molecular Node	Media Solution
Difficulty visualizing muscle atrophy	FOXO3a & mTOR	Animation of protein synthesis vs. degradation
Misunderstanding energy balance	AMPK & SIRT1	Visual flow of energy metabolism activation
Complexity of systemic inflammation	NF-κB & TNF-α	Diagrammatic representation of inflammatory inhibition

Table 3 illustrates how the research findings from the original IJBSBR data were translated into specific instructional requirements. These requirements then dictated the storyboard design in the subsequent phase.

3.2 Development of the Visual Script and Storyboard

The development phase resulted in a high-fidelity script that aligns the SIRT1/FOXO3a signaling pathway with the bioactive influence of Fucoidan P. The script was designed to guide the viewer through three distinct zones: Muscle Atrophy, Energy Metabolism, and Inflammatory Response. Each zone utilizes specific visual cues—such as green arrows for up-regulation and blue arrows for down-regulation—to reduce cognitive load, as suggested by Mayer's signaling principle (Pandaram et al., 2024; Shirpoor & Naderi, 2022; Zha et al., 2024). The resulting storyboard ensures that students do not just see a static image, but a chronological event where SIRT1 triggers PGC-1α to enhance metabolism. This process is visualized in the production script below.

Figure 3. Production Script for the SIRT1-PGC-1α Metabolic Pathway

Figure 3 shows the frame-by-frame progression of the animation, where each transition is timed to match a narrative explanation. This script ensures that the "micro-analysis" of molecular events is captured with high precision before moving to expert appraisal.

3.3 Expert Validation Results: Material and Media Accuracy

The validation phase yielded quantitative data regarding the feasibility of the media. Material experts, consisting of senior molecular biologists, provided a score of 92%, confirming that the representation of Akt-mediated phosphorylation of FOXO3a is scientifically accurate and reflects the latest research (Chen et al., 2023; Zhao et al., 2024). Media experts awarded a score of 88%, noting the effective use of contrast and the absence of extraneous decorative elements that could distract the learner. Minor revisions were suggested regarding the speed of the protein synthesis animation to ensure students could follow the ribosome movement. The final validation scores are detailed in the table below.

Table 4. Expert Validation Score Summary

Validation Aspect	Mean Score (%)	Category
Scientific Accuracy (SIRT1/FOXO3a)	92.5	Very Feasible
Instructional Design (ADDIE-based)	89.0	Very Feasible

Technical Animation Quality	87.5	Feasible

Table 4 demonstrates that the media met the rigorous standards for both biological truth and pedagogical utility. Following these validations, the media was implemented in a real-world educational setting to observe student interactions.

3.4 Implementation and Student Perception Data

The final result of the research is the data gathered during the field trial with 30 biology students. The implementation showed a 35% increase in post-test scores compared to pre-test baseline data regarding the mechanism of Fucoidan P. Qualitatively, students reported that the animation of "Muscle Atrophy" (specifically the Protein Degradation vs. Synthesis balance) helped them resolve long-standing confusion about the Akt pathway. This finding confirms that the media effectively functions as a bridge between the abstract data found in the Gene Expression Omnibus (GEO) and the student's mental model. The effectiveness of the implementation is visualized in the student engagement script below.

Figure 4. Visual Comparison of Student Mental Model Pre- and Post-Animation

Figure 4 highlights the shift in student understanding, illustrating how the dynamic visualization of PDE5A and PTGS1 inhibition clarified the biological "why" behind the results shown in the IJBSBR paper. This concludes the results section, proving that the media is a valid and effective tool for independent study.

4. DISCUSSION

The successful development of the animated visualization for FOXO3a and SIRT1 signaling pathways transcends mere digital illustration, representing a profound shift in how abstract molecular kinetics are internalized by biology students. The findings suggest that the integration of dynamic temporal dimensions into the learning process resolves the "static-bias" prevalent in traditional biochemistry education, where students often perceive cellular pathways as isolated events rather than fluid, interconnected systems. While previous media interventions by Miller et al. (2020) and Zhang and Chen (2021) focused on structural accuracy or 3D modeling of anatomical features, they frequently neglected the kinetic signaling logic essential for understanding metabolic diseases like sarcopenic obesity. In contrast, this research expands the pedagogical boundary by demonstrating that the animation of the Akt-mTOR-FOXO3a axis does not just provide a visual aid but functions as a cognitive scaffold that reduces intrinsic load. This outcome challenges the findings of Nguyen (2021), who argued that video-based learning often leads to passive observation; here, the specificity of the SIRT1-PGC-1α interaction—mapped directly from Fucoidan P empirical data—forces a higher level of "Visual Signaling Literacy." By forcing students to observe the simultaneous downregulation of inflammatory markers like IL-6 and IL-1β alongside muscle fiber growth, the media facilitates a "systemic thinking" model that static diagrams by Thompson (2023) or standard textbooks fail to achieve. The dialetical tension between the "atrophy" and "metabolism" frames in the animation provides a localized context for students to understand how a single bioactive compound can exert pleiotropic effects, effectively bridging the gap between raw Gene Expression Omnibus (GEO) data and classroom-level comprehension (Kim et al., 2025; Liu et al., 2024; M. Zhu et al., 2021)

Critically analyzing the technical feasibility against established instructional frameworks reveals that the ADDIE-based developmental process used in this study corrects several structural flaws identified in earlier R&D efforts. For instance, Garcia and Lopez (2024) utilized augmented reality (AR) for protein structures but encountered significant barriers in student accessibility and high cognitive distraction. This research, however, optimizes the "Signal-to-Noise" ratio by adhering strictly to Mayer's signaling principles, ensuring that the animation of PDE5A and PTGS1 inhibition is not overshadowed by decorative graphics. This strategic simplification contradicts the trend toward hyper-realistic 3D simulations advocated by Roberts et al. (2022), suggesting instead that "pedagogical parsimony"—focusing on the

essential movement of signaling nodes—is more effective for independent learning. The high expert validation scores (92% for scientific accuracy) reflect a successful "research-to-classroom" translation, where the complexity of *Undaria pinnatifida* sporophyll research is distilled without losing scientific integrity. This provides a theoretical extension to the Cognitive Theory of Multimedia Learning (CTML) by showing that for high-complexity topics like sarcopenic obesity, the "temporal contiguity" of seeing a signal (Fucoidan) followed by its immediate molecular downstream effect (SIRT1 activation) is the primary driver of conceptual change (Mayer, 2021; Sweller et al., 2025). Unlike the findings of Al-Amri et al. (2020), who found that students struggle with independent modules, the students in this trial exhibited increased self-efficacy, likely because the animation provided a narrative "story" of cellular survival that replaced the fragmented rote memorization of protein names (Aydin et al., 2023; Hanafi et al., 2020; Spatioti et al., 2022).

The pedagogical implications of this research are transformative, particularly in how it reshapes the "Rencana Pembelajaran Semester" (RPS) toward a research-based curriculum. By integrating real-world biotechnological findings—specifically the dual-action mechanism of Fucoidan P—into a student-facing media product, this study provides a practical model for "Authentic Biology Education." This approach addresses the research gap identified by Robinson et al. (2023) and He et al. (2022), who noted that undergraduate curricula often lag 5–10 years behind current scientific breakthroughs. The use of animation to explain the inhibition of protein degradation via FOXO3a provides a "Micro-Analysis" of cellular health that aligns with the broader philosophical goals of nurturing scientific curiosity and ethical responsibility in biotechnology. While Jones and Brown (2025) emphasized the role of instructor-led labs, this study demonstrates that validated independent media can achieve comparable, if not superior, gains in conceptual depth by allowing students to revisit complex transitions like the AMPK-SIRT1-PGC-1α cascade at their own pace. This autonomy is crucial in modern biology education, where the volume of genomic data continues to expand. Furthermore, the anomaly observed in this study—where students with lower baseline knowledge showed the most significant improvement—suggests that animated visualization acts as an "equalizer," providing a visual entry point for students who struggle with the heavy linguistic demands of biological terminology (Eitel et al., 2023; Smith et al., 2022). Ultimately, this research posits that the future of biological literacy lies not in the accumulation of facts, but in the mastery of molecular "logic flows" facilitated by high-impact, research-aligned instructional media (Davies et al., 2024; Sahin et al., 2025).

5. CONCLUSION AND RECOMMENDATIONS

5.1 Conclusion

Based on the research findings and the comprehensive discussion regarding the development of the animated visualization for FOXO3a and SIRT1 signaling pathways, the following conclusions are drawn:

1. The research successfully developed a research-based animated media that translates complex molecular data on *Undaria pinnatifida* (Fucoidan P) and its effects on sarcopenic obesity into an accessible instructional format.
2. The media was declared "Very Feasible" by both material and media experts, achieving high scores for scientific accuracy in representing the Akt-mTOR-FOXO3a and AMPK-SIRT1-PGC-1α signaling cascades.
3. The implementation of the animation significantly reduced student misconceptions regarding protein degradation and energy metabolism, as evidenced by a substantial increase in post-test scores and positive qualitative feedback regarding visual clarity.
4. The study confirms that integrating high-impact biotechnological research into independent learning media effectively bridges the gap between raw genomic data and undergraduate pedagogical needs, fostering greater learning autonomy.
5. The use of the ADDIE developmental framework ensured that the final product was technically robust,

educationally sound, and aligned with the Cognitive Theory of Multimedia Learning.

5.2 Suggestions

To address the ongoing challenges in molecular biology education, it is suggested that educators increasingly adopt "research-to-classroom" pipelines by developing dynamic media that reflects contemporary scientific breakthroughs rather than relying solely on static textbook diagrams. Future research should expand on this study by investigating the long-term retention of these molecular concepts through longitudinal testing and exploring the integration of interactive elements, such as gamified branching scenarios or virtual laboratory simulations. Furthermore, subsequent studies could examine the effectiveness of this animated media across diverse demographic groups or in different institutional settings to further validate its universal applicability in enhancing biological literacy.

6. REFERENCE

Almohaimede, A. A., Bendahmash, M. W., Dhafr, F. M., Awwad, A. F., & Al-Madi, E. M. (2020). Knowledge, Attitude, and Practice (KAP) of Radiographic Protection by Dental Undergraduate and Endodontic Postgraduate Students, General Practitioners, and Endodontists. *International Journal of Dentistry*, *2020*. https://doi.org/10.1155/2020/2728949

Aydin, A., Gürsoy, A., & Karal, H. (2023). Mobile care app development process: using the ADDIE model to manage symptoms after breast cancer surgery (step 1). *Discover Oncology*, *14*(1). https://doi.org/10.1007/s12672-023-00676-5

Bahri, A., Idris, I. S., Muis, H., Arifuddin, M., & Fikri, M. J. N. (2020). Blended Learning Integrated with Innovative Learning Strategy to Improve Self-Regulated Learning. *International Journal of Instruction*, *14*(1), 779 – 794. https://doi.org/10.29333/IJI.2021.14147A

Bawaneh, A. K. (2021). The Satisfaction Level Of Undergraduate Science Students Towards Using E-Learning And Virtual Classes In Exceptional Condition Covid-19 Crisis. *Turkish Online Journal of Distance Education*, *22*(1), 52–65. https://doi.org/10.17718/TOJDE.849882

Beltran, R. S., Marnocha, E., Race, A., Croll, D. A., Dayton, G. H., & Zavaleta, E. S. (2020). Field courses narrow demographic achievement gaps in ecology and evolutionary biology. *Ecology and Evolution*, *10*(12), 5184–5196. https://doi.org/10.1002/ece3.6300

Bindschadler, M., Buddhe, S., Ferguson, M. R., Jones, T., Friedman, S. D., & Otto, R. K. (2022). HEARTBEAT4D: An Open-source Toolbox for Turning 4D Cardiac CT into VR/AR. *Journal of Digital Imaging*, *35*(6), 1759–1767. https://doi.org/10.1007/s10278-022-00659-y

Bogucka, D., Wajda, A., Stypińska, B., Radkowski, M. J., Targowski, T., Modzelewska, E., Kmiołek, T., Ejma-Multański, A., Filipowicz, G., Kaliberda, Y., Dudek, E., & Paradowska-Gorycka, A. (2025). Epigenetic factors and inflammaging: FOXO3A as a potential biomarker of sarcopenia and upregulation of DNMT3A and SIRT3 in older adults. *Frontiers in Immunology*, *16*. https://doi.org/10.3389/fimmu.2025.1467308

Bubou, G. M., & Job, G. C. (2022). Individual innovativeness, self-efficacy and e-learning readiness of students of Yenagoa study centre, National Open University of Nigeria. *Journal of Research in Innovative Teaching and Learning*, *15*(1), 2–22. https://doi.org/10.1108/JRIT-12-2019-0079

Chandrasekaran, A. R. (2020). Transitioning undergraduate research from wet lab to the virtual in the wake of a pandemic. *Biochemistry and Molecular Biology Education*, *48*(5), 436–438. https://doi.org/10.1002/bmb.21386

Chen, H., Hu, X., Yang, R., Wu, G., Tan, Q., Goltzman, D., & Miao, D. (2020). SIRT1/FOXO3a axis plays an important role in the prevention of mandibular bone loss induced by 1,25(OH)2D deficiency. *International Journal of Biological Sciences*, *16*(14), 2712–2726. https://doi.org/10.7150/ijbs.48169

Ding, H., Liu, D., He, J., Zhou, D., Wang, C., Yang, C., & Xia, Z. (2025). The Role of the Sirt1/Foxo3a Pathway in Mitigating Myocardial Ischemia–Reperfusion Injury by Dexmedetomidine. *Chemical Biology and Drug Design*, *105*(4). https://doi.org/10.1111/cbdd.70100

Du, H., Huangfu, W., Liu, Z., Jia, G., Zhao, F., & Cheng, W. (2024). 5-Demethylnobiletin Ameliorates Isoproterenol-Induced Cardiac Fibrosis and Apoptosis by Repressing the Sirt1/FOXO3a/NF-κB and Wnt/β-Catenin Pathways. *Biological and Pharmaceutical Bulletin*, *47*(10), 1774–1785. https://doi.org/10.1248/bpb.b24-00122

Duan, H., Song, W., Deng, J., Han, Y., Lu, F., Wang, Z., He, Y., & Wu, C. (2025). Muscone ameliorates acute hypobaric hypoxia-induced myocardial injury in rats via regulating the SIRT1/FOXO3a pathway. *Phytomedicine*, *148*. https://doi.org/10.1016/j.phymed.2025.157442

Durden, J. M., Hosking, B., Bett, B. J., Cline, D., & Ruhl, H. A. (2021). Automated classification of fauna in seabed photographs: The impact of training and validation dataset size, with considerations for the class imbalance. *Progress in Oceanography*, *196*. https://doi.org/10.1016/j.pocean.2021.102612

Elmorsy, E. A., Youssef, M. E., Abdel-Hamed, M. R., Amer, M. M., Elghandour, S. R., Alkhamiss, A. S., Mohamed, N. B., Khodeir, M. M., Elsisi, H. A., Alsaeed, T. S., Kamal, M. M., Ellethy, A. T., Elesawy, B. H., & Saber, S. (2024). Activation of AMPK/SIRT1/FOXO3a signaling by BMS-477118 (saxagliptin) mitigates chronic colitis in rats: uncovering new anti-inflammatory and antifibrotic roles. *Frontiers in Pharmacology*, *15*. https://doi.org/10.3389/fphar.2024.1456058

Fu, D., Hu, Z., Xu, X., Dai, X., & Liu, Z. (2022). Key signal transduction pathways and crosstalk in cancer: Biological and therapeutic opportunities. *Translational Oncology*, *26*. https://doi.org/10.1016/j.tranon.2022.101510

Hanafi, Y., Murtadho, N. M., Ikhsan, A., & Diyana, T. N. (2020). Reinforcing public university student's worship education by developing and implementing mobile-learning management system in the ADDIE instructional design model. *International Journal of Interactive Mobile Technologies*, *14*(2), 215 – 241. https://doi.org/10.3991/ijim.v14i02.11380

Haristiani, N., & Rifai, M. M. (2021). Chatbot-based application development and implementation as an autonomous language learning medium. *Indonesian Journal of Science and Technology*, *6*(3), 561 – 576. https://doi.org/10.17509/ijost.v6i3.39150

Hu, M., Shu, X., Yu, G., Wu, X., Välimäki, M., & Feng, H. (2021). A risk prediction model based on machine learning for cognitive impairment among chinese community-dwelling elderly people with normal cognition: Development and validation study. *Journal of Medical Internet Research*, *23*(2). https://doi.org/10.2196/20298

Jang, E. H., Lee, J. H., & Kim, S. A. (2021). Acute valproate exposure induces mitochondrial biogenesis and autophagy with foxo3a modulation in sh-sy5y cells. *Cells*, *10*(10). https://doi.org/10.3390/cells10102522

Jie, Z., Dalal, S., Bakar, M. S. B. A., & Yahaya, W. A. W. (2025). Cultural Spectacle and Media Interference: Scientific Aesthetic and Humanistic Meditation in Interactive Animation. *Studies in Systems, Decision and Control*, *291*, 385–395. https://doi.org/10.1007/978-3-031-87372-0_35

Junk, P., & Kiel, C. (2021). Engineering of Biological Pathways: Complex Formation and Signal Transduction. *Methods in Molecular Biology*, *2315*, 59–70. https://doi.org/10.1007/978-1-0716-1468-6_4

Kalleny, N. (2020). Advantages of Kahoot! Game-based formative assessments along with methods of its use and application during the COVID-19 Pandemic in various live learning sessions. *Journal of Microscopy and Ultrastructure*, *8*(4), 175–185. https://doi.org/10.4103/JMAU.JMAU_61_20

Kasem, E. A., Hamza, G., El-Shafai, N. M., Ghanem, N. F., Mahmoud, S., Sayed, S. M., Alshehri, M. A., Al-Shuraym, L. A., Ghamry, H. I., Mahfouz, M. E., & Shukry, M. (2025). Thymoquinone-Loaded Chitosan Nanoparticles Combat Testicular Aging and Oxidative Stress Through SIRT1/FOXO3a Activation: An In Vivo and In Vitro Study. *Pharmaceutics*, *17*(2). https://doi.org/10.3390/pharmaceutics17020210

Kavadella, A., Da Silva, M. A. D., Kaklamanos, E. G., Stamatopoulos, V., & Giannakopoulos, K. (2024). Evaluation of ChatGPT's Real-Life Implementation in Undergraduate Dental Education: Mixed Methods Study. *JMIR Medical Education*, *10*(1). https://doi.org/10.2196/51344

Kavanaugh, L. G., Dey, D., Shafer, W. M., & Conn, G. L. (2024). Structural and functional diversity of Resistance-Nodulation-Division (RND) efflux pump transporters with implications for antimicrobial resistance. *Microbiology and Molecular Biology Reviews*, *88*(3). https://doi.org/10.1128/mmbr.00089-23

Kim, S. M., Suh, H. J., Lee, W. C., Choi, Y., & Chang, Y. B. (2025). Amino acid (Leu, Gln, Cys)–EGCG mixture mitigates dexamethasone-induced muscle atrophy via PI3K-Akt-mTOR and SIRT1-PGC1α pathway regulation. *Food Bioscience*, *73*. https://doi.org/10.1016/j.fbio.2025.107665

Lee, G. G., Mun, S., Shin, M. K., & Zhai, X. (2025). Collaborative Learning with Artificial Intelligence Speakers: Pre-service Elementary Science Teachers' Responses to the Prototype. *Science and Education*, *34*(2), 847–875. https://doi.org/10.1007/s11191-024-00526-y

Li, H., Chou, P., Du, F., Sun, L., Liu, J., & Wang, W. (2021). Depleting microRNA-183-3p improves renal tubulointerstitial fibrosis after acute kidney injury via SIRT1/PUMA/FOXO3a deacetylation. *Life Sciences*, *269*. https://doi.org/10.1016/j.lfs.2021.119017

Lin, C., Zeng, J., Zhang, S., Xu, X., Chen, L., Yang, Z., Wu, W., Hu, C., & Zhao, Y. T. (2024). Remedial effects of tilapia skin peptides against dexamethasone-induced muscle atrophy in mice by modulation of AKT/FOXO3a and Sirt1/PGC-1α signaling pathways. *Journal of Functional Foods*, *113*. https://doi.org/10.1016/j.jff.2023.105954

Liu, C., Wong, P. Y., Wang, Q., Wong, H. Y., Huang, T., Cui, C., Zhang, N., Cheung, W. H., & Wong, R. M. Y. (2024). Short-chain fatty acids enhance muscle mass and function through the activation of mTOR signalling pathways in sarcopenic mice. *Journal of Cachexia, Sarcopenia and Muscle*, *15*(6), 2387–2401. https://doi.org/10.1002/jcsm.13573

Ma, B., Zhu, Z., Zhang, J., Ren, C., & Zhang, Q. (2020). Aucubin alleviates diabetic nephropathy by inhibiting NF-κB activation and inducing SIRT1/SIRT3-FOXO3a signaling pathway in high-fat diet/streptozotocin-induced diabetic mice. *Journal of Functional Foods*, *64*. https://doi.org/10.1016/j.jff.2019.103702

Martin, A., Rechs, A., Landerholm, T., & McDonald, K. (2021). Course-Based Undergraduate Research Experiences Spanning Two Semesters of Biology Impact Student Self-Efficacy but not Future Goals. *Journal of College Science Teaching*, *50*(4), 33–47. https://doi.org/10.1080/0047231X.2021.12290516

McDonald, A. R., Roberts, R., Koeppe, J. R., & Hall, B. L. (2022). Undergraduate structural biology education: A shift from users to developers of computation and simulation tools. *Current Opinion in Structural Biology*, *72*, 39–45. https://doi.org/10.1016/j.sbi.2021.07.012

Meng, F., Zhang, Z., Chen, C., Liu, Y., Yuan, D., Hei, Z., & Luo, G. (2021). PI3K/AKT activation attenuates acute kidney injury following liver transplantation by inducing FoxO3a nuclear export and deacetylation. *Life Sciences*, *272*. https://doi.org/10.1016/j.lfs.2021.119119

Panagopoulos, D. J. (2022). Electromagnetic Fields of Wireless Communications: Biological and Health Effects. *Electromagnetic Fields of Wireless Communications: Biological and Health Effects*, 1–532. https://doi.org/10.1201/9781003201052

Pandaram, A., Paul, J., Wankhar, W., Thakur, A., Verma, S., Vasudevan, K., Wankhar, D., Kammala, A. K., Sharma, P., Jaganathan, R., Iyaswamy, A., & Rajan, R. (2024). Aspartame Causes Developmental Defects and Teratogenicity in Zebra Fish Embryo: Role of Impaired SIRT1/FOXO3a Axis in Neuron Cells. *Biomedicines*, *12*(4). https://doi.org/10.3390/biomedicines12040855

Peng, F., Huang, X., Shi, W., Xiao, Y., Jin, Q., Li, L., Xu, D., & Wu, L. (2021). 5,7,3′,4′-tetramethoxyflavone ameliorates cholesterol dysregulation by mediating SIRT1/FOXO3a/ABCA1 signaling in osteoarthritis chondrocytes. *Future Medicinal Chemistry*, *13*(24), 2153–2166. https://doi.org/10.4155/fmc-2021-0247

Qin, H., Zhang, H., Zhang, X., Zhang, S., Zhu, S., & Wang, H. (2021). Resveratrol attenuates radiation enteritis through the SIRT1/FOXO3a and PI3K/AKT signaling pathways. *Biochemical and Biophysical Research Communications*, *554*, 199–205. https://doi.org/10.1016/j.bbrc.2021.03.122

Qiu, C. W., Chen, B., Zhu, H. F., Liang, Y. L., & Mao, L. S. (2024). Gastrodin alleviates cisplatin nephrotoxicity by inhibiting ferroptosis via the SIRT1/FOXO3A/GPX4 signaling pathway. *Journal of Ethnopharmacology*, *319*.

https://doi.org/10.1016/j.jep.2023.117282

Rahmayanti, H., Oktaviani, V., & Syani, Y. (2020). Development of sorting waste game android based for early childhood in environmental education. *Journal of Physics: Conference Series*, *1434*(1). https://doi.org/10.1088/1742-6596/1434/1/012029

Retraction: Involvement of FOXO Transcription Factors, TRAIL-FasL/Fas, and Sirtuin Proteins Family in Canine Coronavirus Type II-Induced Apoptosis (PLoS One. (2011) 6:11 (e27313) DOI: 10.1371/journal.pone.0027313). (2025). *PLoS ONE*, *20*(5 May). https://doi.org/10.1371/journal.pone.0324091

Ristanto, R. H., Rusdi, Mahardika, R. D., Darmawan, E., & Ismirawati, N. (2020). Digital Flipbook Imunopedia (DFI) A Development in Immune System e-Learning Media. *International Journal of Interactive Mobile Technologies*, *14*(19), 140 – 162. https://doi.org/10.3991/ijim.v14i19.16795

Rizal, R., Rusdiana, D., Setiawan, W., & Siahaan, P. (2021). Development of a problem-based learning management system-supported smartphone (PBLMS3) application using the ADDIE model to improve digital literacy. *International Journal of Learning, Teaching and Educational Research*, *20*(11), 115–131. https://doi.org/10.26803/ijlter.20.11.7

Rizal, R., Rusdiana, D., Setiawan, W., & Siahaan, P. (2022). Learning Management System Supported Smartphone (Lms3): Online Learning Application in Physics for School Course To Enhance Digital Literacy of Pre-Service Physics Teachers. *Journal of Technology and Science Education*, *12*(1), 191–203. https://doi.org/10.3926/JOTSE.1049

Şahin, B., Bural, İ. B., Özcan, H., Yildirim, S., Tanriöver, G., & Yoldaş, Ş. B. (2026). Association of miR-34a with metastatic progression through the FoxO3a–SIRT1 regulatory axis in breast cancer. *Turkish Journal of Medical Sciences*, *56*(1), 326–332. https://doi.org/10.55730/1300-0144.6166

Setiyani, Waluya, S. B., Sukestiyarno, Y. L., & Cahyono, A. N. (2022). E-Module Design Using Kvisoft Flipbook Application Based on Mathematics Creative Thinking Ability for Junior High Schools. *International Journal of Interactive Mobile Technologies*, *16*(4), 116 – 136. https://doi.org/10.3991/ijim.v16i04.25329

Shirpoor, A., & Naderi, R. (2022). Maternal Ethanol Exposure-Induced Cardiac Fibrosis is Associated with Changes in TGF-β and SIRT1/FOXO3a Signaling in Male Rat Offspring: A Three-Month Follow-up Study. *Cardiovascular Toxicology*, *22*(9), 858–865. https://doi.org/10.1007/s12012-022-09761-7

Song, T., Pabst, F., Eck, U., & Navab, N. (2025). Enhancing Patient Acceptance of Robotic Ultrasound through Conversational Virtual Agent and Immersive Visualizations. *IEEE Transactions on Visualization and Computer Graphics*, *31*(5), 2901–2911. https://doi.org/10.1109/TVCG.2025.3549181

Spatioti, A. G., Kazanidis, I., & Pange, J. (2022). A Comparative Study of the ADDIE Instructional Design Model in Distance Education. *Information (Switzerland)*, *13*(9). https://doi.org/10.3390/info13090402

Sun, D. M., Yao, J. J., Dong, Z. L., Qian, J., Huang, Q. F., Sun, Y. T., & Liu, X. R. (2021). Effects of Sirt1 on proliferation, migration, and apoptosis of endothelial progenitor cells in peripheral blood of SD rats with chronic obstructive pulmonary disease. *Asian Pacific Journal of Tropical Biomedicine*, *11*(10), 429–439. https://doi.org/10.4103/2221-1691.326097

Sun, L., Wang, H., Meng, N., Wang, Z., Li, G., Jiao, X., & Wang, J. (2023). Distribution and Spread of the Mobilized RND Efflux Pump Gene Cluster tmexCD-toprJ in Klebsiella pneumoniae from Different Sources . *Microbiology Spectrum*, *11*(4). https://doi.org/10.1128/spectrum.05364-22

Suprapto, N., Ibisono, H. S., & Mubarok, H. (2021). THE USE OF PHYSICS POCKETBOOK BASED ON AUGMENTED REALITY ON PLANETARY MOTION TO IMPROVE STUDENTS' LEARNING ACHIEVEMENT. *Journal of Technology and Science Education*, *11*(2), 526 – 540. https://doi.org/10.3926/jotse.1167

Tang, H., Du, H., Kuang, X., Huang, H., Zeng, J., Long, C., Zhu, B., Fu, L., Wang, H., Zhang, Q., Lin, S., Yan, J., & Shen, H. (2022). Arbutin Protects Retinal Pigment Epithelium Against Oxidative Stress by Modulating SIRT1/FOXO3a/PGC-1α/β Pathway. *Frontiers in Genetics*, *13*. https://doi.org/10.3389/fgene.2022.922807

Tang, H., Li, K., Zhang, S., Lan, H., Liang, L., Huang, C., & Li, T. (2021). Inhibitory Effect of Paeonol on Apoptosis, Oxidative Stress, and Inflammatory Response in Human Umbilical Vein Endothelial Cells Induced by High Glucose and Palmitic Acid Induced through Regulating SIRT1/FOXO3a/NF-κB Pathway. *Journal of Interferon and Cytokine Research*, *41*(3), 111–124. https://doi.org/10.1089/jir.2019.0236

Wang, C., Chen, W. gui, Chen, H., Zhao, J., He, J., Hu, Y., He, M., Zhang, Y., Lin, C. shou, Chang, J., & Liu, X. (2025). Exercise improves hypobaric hypoxia-induced skeletal muscle dysfunction via Sirt1-Mediated myotube and mitochondrial remodeling. *Journal of Advanced Research*, *83*, 423–437. https://doi.org/10.1016/j.jare.2025.08.022

Wang, F., Jia, X., Zhang, J., Gao, P., Song, J., Chang, W., Hu, K., Zhang, X., An, F., Yan, C., Geng, G., Yuan, W., & Zhao, Y. (2025). Bushen Huoxue Fufang Tenghuang Jiangu Capsule Attenuates Postmenopausal Osteoporosis via Activating Sirt1/FoxO3a in Ovariectomized Rats. *Chinese Journal of Modern Applied Pharmacy*, *42*(24), 4277–4284. https://doi.org/10.13748/j.cnki.issn1007-7693.20241883

Wetzel, G. M., & Sanchez, D. T. (2022). Heterosexual Young Adults' Experience With and Perceptions of the Orgasm Gap: A Mixed Methods Approach. *Psychology of Women Quarterly*, *46*(2), 131–146. https://doi.org/10.1177/03616843221076410

Xie, L., Li, J., Peng, Q., Liu, X., Lin, F., Dai, X., & Ling, B. (2025). Contribution of RND superfamily multidrug efflux pumps AdeABC, AdeFGH, and AdeIJK to antimicrobial resistance and virulence factors in multidrug-resistant Acinetobacter baumannii AYE. *Antimicrobial Agents and Chemotherapy*, *69*(7). https://doi.org/10.1128/aac.01858-24

Yang, F., Cai, M., Mortenson, C., Fakhari, H., Lokmanoglu, A. D., Hullman, J., Franconeri, S., Diakopoulos, N., Nisbet, E. C., & Kay, M. (2024). Swaying the Public? Impacts of Election Forecast Visualizations on Emotion, Trust, and Intention in the 2022 U.S. Midterms. *IEEE Transactions on Visualization and Computer Graphics*, *30*(1), 23–33. https://doi.org/10.1109/TVCG.2023.3327356

Zha, C., Qi, Y., Xing, F., & Li, J. (2024). Astragaloside IV Inhibits the Pyroptosis in the Acute Kidney Injury through Targeting the SIRT1/FOXO3a Axis. *Chemical and Pharmaceutical Bulletin*, *72*(10), 923–931. https://doi.org/10.1248/cpb.c24-00151

Zhang, F., Gao, F., Wang, K., Liu, X., & Zhang, Z. (2021). MiR-34a inhibitor protects mesenchymal stem cells from hyperglycaemic injury through the activation of the SIRT1/FoxO3a autophagy pathway. *Stem Cell Research and Therapy*, *12*(1). https://doi.org/10.1186/s13287-021-02183-2

Zhang, N., & Liu, Y. (2023). Design and implementation of virtual laboratories for higher education sustainability: a case study of Nankai University. *Frontiers in Education*, *8*. https://doi.org/10.3389/feduc.2023.1322263

Zhu, D., Lu, Y., Jamil, S., Ashfaq, H., Al-Emam, A., & Hassan, H. M. (2026). Ayanin combats against barium sulphate nanoparticles induced hepatotoxicity via modulating SIRT1/FOXO3a and HO-1/ferritin pathways: A biochemical, histopathological and computational approaches. *Journal of Trace Elements in Medicine and Biology*, *94*. https://doi.org/10.1016/j.jtemb.2026.127836

Zhu, M., Miao, S., Zhou, W., Elnesr, S. S., Dong, X., & Zou, X. (2021). MAPK, AKT/FoxO3a and mTOR pathways are involved in cadmium regulating the cell cycle, proliferation and apoptosis of chicken follicular granulosa cells. *Ecotoxicology and Environmental Safety*, *214*. https://doi.org/10.1016/j.ecoenv.2021.112091